

# COMMANDKEYBOARD CH-DE

KVM add-ons, Article number A3200115



The CommandKeyboard combines a standard keyboard in various international layouts with additional programmable keys. The programmable keys can be assigned with any macros using dedicated software. The product behaves like a standard keyboard that is compatible with all standard devices with keyboard support. The operation of KVM products is therefore possible as well. The macros that can be stored on the programmable keys are stored directly in the keyboard's memory. No special driver software or similar is required for operation (apart from programming the keys). The dedicated software enables you to create any configuration for the programmable keys.

## DETAILS

### DEVICE

- Designed to increase user efficiency and reduce user error.
- Enhancing the standard keyboard layout with 40 dedicated keys gives users direct access to application- and task-specific functions that are often hidden in multiple menu levels.
- Built on a proven platform using the Cherry® MX key switch the CommandKeyboard provides a highly tactile and ergonomic user interface ideally suited to demanding professional users.
- Typical applications
  - Broadcast control and editing
  - Contact center
  - Publishing
  - Financial trading
  - Command and control

## FEATURES

### OPERATION

- 50 million operations
- 55g actuation force
- 4mm full travel

## TECHNICAL DATA

|                      |                                   |                                                                                              |
|----------------------|-----------------------------------|----------------------------------------------------------------------------------------------|
| General              | Product group                     | KVM add-ons                                                                                  |
|                      | Product Family                    | CommandKeyboard                                                                              |
| Input options        | USB keyboard                      | yes                                                                                          |
| Housing              | Width ca.                         | 470 mm                                                                                       |
|                      | Height ca.                        | 44 mm                                                                                        |
|                      | Depth ca.                         | 220 mm                                                                                       |
| Operating conditions | Operating environment temperature | 0 °C to 50 °C                                                                                |
|                      | Area of application               | Indoor use                                                                                   |
|                      | Storage environment temperature   | -10 °C to 60 °C                                                                              |
|                      | Conformities                      | CE compliant (see downloads)<br>FCC compliant (see manual)<br>RoHS compliant (see downloads) |

## MORE VARIANTS

| Description                                                                                                   | Article number |
|---------------------------------------------------------------------------------------------------------------|----------------|
| <b>CommandKeyboard DE</b><br>Keyboard with 40 programmable additional keys, German keyboard layout (DE)       | A3200112       |
| <b>CommandKeyboard FR</b><br>Keyboard with 40 programmable additional keys, French keyboard layout (FR)       | A3200113       |
| <b>CommandKeyboard KR</b><br>Keyboard with 40 programmable additional keys, south-korean keyboard layout (KR) | A3200117       |
| <b>CommandKeyboard UK</b><br>Keyboard with 40 programmable additional keys, English keyboard layout (UK)      | A3200114       |
| <b>CommandKeyboard US</b><br>Keyboard with 40 programmable additional keys, English keyboard layout (US)      | A3200116       |

# CONTACT

## WE ARE HERE FOR YOU!

If you have any further questions, we are looking forward to advising you on your individual project requirements.

### TECHNICAL SALES

Tel.: +1-833-928-1976  
Fax: +1-833-928-1976  
E-Mail: [sales.us@gdsys.com](mailto:sales.us@gdsys.com)

### HEADQUARTERS

Guntermann & Drunck GmbH Systementwicklung  
Obere Leimbach 9 | 57074 Siegen | NRW |  
Deutschland

Tel.: +49 271 23872-0  
Fax: +49 271 23872-120  
E-Mail: [sales@gdsys.com](mailto:sales@gdsys.com)

### US OFFICE

G&D North America Inc.  
4540 Kendrick Plaza Drive | Suite 100  
Houston, TX 77032 | United States

Tel.: +1-346-620-4362  
E-Mail: [sales.us@gdsys.com](mailto:sales.us@gdsys.com)

### MIDDLE EAST OFFICE

Guntermann & Drunck GmbH  
Dubai Studio City | DSC Tower  
12th Floor, Office 1208 | Dubai, UAE

Tel.: +971 4 5586178  
E-Mail: [sales.me@gdsys.com](mailto:sales.me@gdsys.com)

### APAC OFFICE

Guntermann & Drunck GmbH  
60 Anson Road #17-01  
Singapore 079914

Tel.: +65 9685 8807  
E-Mail: [sales.apac@gdsys.com](mailto:sales.apac@gdsys.com)